

NEVADA DIVISION OF ENVIRONMENTAL PROTECTION

FACT SHEET

(pursuant to NAC 445A.236)

Applicant: Carico Farms Inc.
P. O. Box 18160
Reno, Nevada 89511

Permit: NEV2004504

Location: 7000 South Meridian Road
Lovelock, Pershing County, Nevada 89419
Latitude: 40° 04' N
Longitude: 118° 33' W
Township 25 N, Range 31 E, Section 3 MDB&M

General:

The Applicant proposes to land apply domestic septage and grease trap material provided by Waters Vacuum Truck Service, Inc. The septage/grease trap material will be applied for beneficial use to six-hundred-forty (640) acres of nutrient deficient agricultural land at the Lovelock Ranch Organic Resource Reuse Project, south of Lovelock, Pershing County, Nevada. The Applicant has been issued a Special Use Permit for the facility by Pershing County.

Waters Vacuum Truck Service, Inc. is a licensed septage hauler and is required to maintain this license to transport domestic septage and grease trap material to the facility. Should the Applicant seek to apply septage and/or grease trap material provided by another licensed hauler, the Division may require major modifications to the permit.

The site is currently owned by Bob Gibson. The site is flood irrigated. The septage applied must be screened to remove solids over ¾-inch in size before the septage can be land applied. The septage must be incorporated into the soil within 6 hours of being land applied. A crop must be planted to uptake the nitrogen that is contained in the septage within one year of application. The application rate of domestic septage will be based on the nitrogen needs of the crop to be planted. To reapply domestic septage and grease trap material to cropland, the crop must be harvested. Grazing does not meet this requirement.

The applicant proposes to install two 20,000-gallon holding tanks at the beneficial use site to store the septage and grease trap material during inclement weather and when the incorporation equipment is not operational. The tanks will be equipped with level indicators. The tanks will also be equipped with one-inch ball valves on the tank inlets to facilitate mixing and sample collection. Prior to entering the tanks, the domestic septage and grease trap material is to be first screened through a ½-inch opening bar screen. Secondary screening will be through a pipe assembly containing straining baskets having ¼-inch openings. These screen specifications meet the ¾-inch screening requirements. Oversize material will be removed to a covered and lined dumpster for holding until disposal at the Lockwood landfill. The dumpster will be dosed with lime for odor and vector attraction reduction.

The material will be applied at a ratio of 1 part grease trap material to at least 3 parts septage, using a truck mounted spray bar. The applied material will be incorporated using a tractor-pulled disc within 6 hours of application.

Receiving Water Characteristics:

The groundwater is reported to be at a depth of approximately 8 feet below ground surface in the Applicant's on-site water level monitoring well. Profile II analytical analysis of the monitor well water sample indicate poor quality, with exceedances of Profile II maximum concentration levels (MCL) for Aluminum, Chloride, Fluoride, Iron, Manganese, Sulfate, and Total Dissolved Solids (TDS).

Groundwater quality monitoring is not required for domestic septage beneficial use sites.

Applied Material Characteristics:

Only domestic septage and grease trap material may be land applied. Domestic septage is defined as either liquid or solid material removed from a septic tank, cesspool, portable toilet, Type III marine sanitation device, or similar treatment works that receives only domestic sewage. Domestic septage does not include liquid or solid material removed from a septic tank, cesspool, or similar treatment works that receives either commercial wastewater or industrial wastewater.

Flow:

The application rate, in gallons of domestic septage and grease trap material per acre per year, shall be based on the nitrogen needs of the crop to be grown. Permits for the land application of domestic septage generally do not include flow limitations. However, the Permittee has requested an allowed maximum application rate of 100,000 gallons of septage per acre per year. Referring to the following equation

$$AAR = \frac{N}{0.0026}$$

Where:

AAR = Annual application rate in gallons per acre per 365 day period.

N = Amount of nitrogen in pounds per acre per 365 day period needed by the crop or vegetation grown on the land.

Therefore, in order to meet State and Federal requirements, the Permittee is required to grow and harvest a crop that has an annual nitrogen requirement of **AT LEAST 260 pounds per acre**.

Proposed Septage Use Requirements:

-Septage use must meet all of the requirements of 40CFR section 503, Standards for the Use or Disposal of Sewage Sludge.

-Domestic septage shall not be applied to land if the depth to groundwater is less than 3 feet.

-Domestic septage shall not be applied to land within 100 feet of any public roadway or within 600 feet of any residence.

-Domestic septage shall not be applied to land within 200 feet of monitoring wells.

-Domestic septage shall not be applied within 200 feet of a drinking water well not defined as a public water system.

-Domestic septage shall not be applied within 50 feet of an irrigation well that has been sealed per Nevada Administrative Code (NAC) 534.380.

-Domestic septage shall not be applied within 200 feet of an irrigation well that is not sealed or cannot be documented as sealed per NAC 534.380

-Domestic septage shall not be applied within 1,000 feet of a public water system well.

-Domestic septage shall not be applied within 50 feet of any irrigation or drainage ditch, swale, intermittent stream, creek, river, wetland, lake, or other surface water.

-All land application sites shall be fenced and posted with warning signs stating "DOMESTIC SEPTAGE APPLIED, NO TRESSPASSING", or similar.

-Equipment to incorporate the domestic septage into the soil shall be on the site and in operating condition before septage is land applied.

-Food crops shall not be grown on land that has had domestic septage applied within the past five (5) years.

-The domestic septage shall be land applied at a uniform rate by means of a spray bar, splash plate, or similar method approved by the Division.

-The domestic septage shall be screened through a ¾-inch or finer screen to remove solids from the septage prior to land application. Solid material removed from the septage shall be disposed in an approved landfill.

-Grease trap material shall be mixed with domestic septage at a rate of one part grease trap material to at least three parts domestic septage, by volume, before it is land applied.

-All tanks used for storage at the beneficial use site shall be permanently labeled to identify the contents of the tank, the Permittee, the Permittee's phone number, and the Permittee's address.

-All tanks storing domestic septage shall be inspected daily for leakage. Documentation of the inspections shall be maintained in a bound logbook at the facility. Leaking tanks shall be immediately evacuated and not returned to service until all leaks have been repaired.

Schedule of Compliance:

The Permittee shall implement and comply with the provisions of the schedule of compliance after approval by the Administrator, including in said implementation and compliance, any additions or modifications that the Administrator may make in approving the schedule of compliance. The Permittee shall implement and/or execute the following scheduled compliance requirements:

- a. Upon the effective date of this permit, the Permittee shall achieve compliance with the reuse limitations.
- b. The Permittee shall submit reports illustrating compliance or noncompliance with specified compliance dates within 14 days of any respective, scheduled compliance date.

- c. Within sixty (60) days of the permit effective date, the Permittee shall submit an Operations and Maintenance (O&M) Manual covering the use of the domestic septic to the Division for review and approval.
- d. At least forty-eight (48) hours prior to transporting any storage tank to the beneficial use site, the Permittee shall notify the Division.
- e. At least forty-eight (48) hours prior to removing any storage tank from the beneficial use site, the Permittee shall notify the Division.

Rationale for Permit Requirements:

Permit requirements are necessary to protect the public health and prevent the land application site from becoming a public nuisance or a source of groundwater pollution.

Proposed Determination:

The Division has made the tentative determination to issue the proposed permit for a five (5) year period.

Procedures for Public Comment:

The notice of the Division's intent to issue a permit authorizing the facility to discharge to the groundwater of the State of Nevada subject to the conditions contained within the permit is being sent to the **Lovelock Review/Miner** for publication. The notice is being mailed to interested persons on our mailing list. Anyone wishing to comment on the proposed permit can do so in writing for a period of 30 days following the date of the public notice. In order to be considered, written comments must be hand-delivered, sent via mail (postmarked), emailed or faxed no later than **5:00 P.M. on July 26, 2004**. The comment period can be extended at the discretion of the Administrator.

A public hearing on the proposed determination can be requested by the applicant, any affected State, any affected interstate agency, the Regional Administrator or any interested agency, person or group of persons.

The request must be filed within the comment period and must indicate the interest of the person filing the request and the reasons why a hearing is warranted.

Any public hearing determined by the Administrator to be held must be conducted in the geographical area of the proposed discharge or any other area the Administrator determined to be appropriate. All public hearings must be conducted to accordance with NAC 445.150.

The final determination of the Administrator may be appealed to the State Environmental Commission pursuant to NRS 445.274.

Prepared by: Janine O. Hartley
Staff Engineer II
May 2004